

SUBSURFACE WASTEWATER DISPOSAL SYSTEM APPLICATION

Maine Department of Human Services
 Division of Health Engineering, Station 10
 (207) 287-5672 FAX (207) 287-4172

PROPERTY LOCATION		>> Caution: Permit Required - Attach in Space Below <<	
Town, or Plantation	AUGUSTA	AUGUSTA Date Permit Issued: 6/19/03	5104 TOWN COPY \$100.00 FEE Charged <input type="checkbox"/> Double Fee
Street or Road	1211 WEEKS MILLS ROAD	Local Plumbing Inspector Signature: <i>[Signature]</i> L.P.I. # 850	
Subdivision, Lot #		Municipal Tax Map # 8 Lot # 12B	
OWNER/APPLICANT INFORMATION			
Name (last, first, MI)	CYR, CHRISTIAN <input checked="" type="checkbox"/> Owner <input type="checkbox"/> Applicant		
Mailing Address of <input checked="" type="checkbox"/> Owner <input type="checkbox"/> Applicant	P.O. BOX 4636 AUGUSTA, ME 04330		
Daytime Tel. #	626-5575		
Owner or Applicant Statement I state that the information submitted is correct to the best of my knowledge and understand that any falsification is reason for the Department and/or Local Plumbing Inspector to deny a Permit. <i>[Signature]</i> Signature of Owner or Applicant Date 6/19/03		Caution: Inspection Required I have inspected the installation authorized above and found it to be in compliance with the Subsurface Wastewater Disposal Rules Application. _____ (1st) Date Approved _____ Local Plumbing Inspector Signature (2nd) Date Approved	

PERMIT INFORMATION		
TYPE OF APPLICATION 1. <input checked="" type="checkbox"/> First Time System 2. <input type="checkbox"/> Replacement System Type Replaced: _____ Year Installed: _____ 3. <input type="checkbox"/> Expanded System a. <input type="checkbox"/> Minor Expansion b. <input type="checkbox"/> Major Expansion 4. <input type="checkbox"/> Experimental System 5. <input type="checkbox"/> Seasonal Conversion	THIS APPLICATION REQUIRES 1. <input checked="" type="checkbox"/> No Rule Variance 2. <input type="checkbox"/> First Time System Variance a. <input type="checkbox"/> Local Plumbing Inspector Approval b. <input type="checkbox"/> State & Local Plumbing Inspector Approval 3. <input type="checkbox"/> Replacement System Variance a. <input type="checkbox"/> Local Plumbing Inspector Approval b. <input type="checkbox"/> State & Local Plumbing Inspector Approval 4. <input type="checkbox"/> Experimental System 5. <input type="checkbox"/> Seasonal Conversion Approval	DISPOSAL SYSTEM COMPONENT(S) 1. <input checked="" type="checkbox"/> Complete Non-engineered System 2. <input type="checkbox"/> Primitive System (graywater & alternative toilet) 3. <input type="checkbox"/> Alternative Toilet, specify: _____ 4. <input type="checkbox"/> Non-engineered Treatment Tank (only) 5. <input type="checkbox"/> Holding Tank, capacity: _____ gallons 6. <input type="checkbox"/> Non-engineered Disposal Field (only) 7. <input type="checkbox"/> Separated Laundry System 8. <input type="checkbox"/> Complete Engineered System (2000 gpd or more) 9. <input type="checkbox"/> Engineered Treatment Tank (only) 10. <input type="checkbox"/> Engineered Disposal Field (only) 11. <input type="checkbox"/> Pre-treatment, specify: _____ 12. <input type="checkbox"/> Miscellaneous components
SIZE OF PROPERTY 7-28 <input type="checkbox"/> sq. ft. <input checked="" type="checkbox"/> acres	DISPOSAL SYSTEM TO SERVE 1. <input checked="" type="checkbox"/> Single Family Dwelling Unit, No. of Bedrooms: 2 2. <input type="checkbox"/> Multiple Family Dwelling, No. of Units: _____ 3. <input type="checkbox"/> Other: _____ SPECIFY	TYPE OF WATER SUPPLY 1. <input checked="" type="checkbox"/> Drilled Well 2. <input type="checkbox"/> Dug Well 3. <input type="checkbox"/> Private 4. <input type="checkbox"/> Public 5. <input type="checkbox"/> Other:
SHORELAND ZONING <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		

DESIGN DETAILS (SYSTEM LAYOUT SHOWN ON PAGE 3)			
TREATMENT TANK 1. <input checked="" type="checkbox"/> Concrete a. <input checked="" type="checkbox"/> Regular b. <input type="checkbox"/> Low Profile 2. <input type="checkbox"/> Plastic 3. <input type="checkbox"/> Other: _____ CAPACITY: 1,000 gallons	DISPOSAL FIELD TYPE & SIZE 1. <input checked="" type="checkbox"/> Stone Bed 2. <input type="checkbox"/> Stone Trench 3. <input type="checkbox"/> Proprietary Device a. <input type="checkbox"/> Cluster array c. <input type="checkbox"/> Linear b. <input type="checkbox"/> Regular load d. <input type="checkbox"/> H-20 Load 4. <input type="checkbox"/> Other: _____ SIZE: 600 <input checked="" type="checkbox"/> sq. ft. <input type="checkbox"/> lin. ft.	GARBAGE DISPOSAL UNIT 1. <input checked="" type="checkbox"/> No 2. <input type="checkbox"/> Yes 3. <input type="checkbox"/> Maybe >> If yes/maybe, specify one below: a. <input type="checkbox"/> Multi-Compartment Tank b. <input type="checkbox"/> Tanks in Series c. <input type="checkbox"/> Increase in Tank Capacity d. <input type="checkbox"/> Filter on Tank Outlet	DESIGN FLOW 180 gallons-per-day (gpd) BASED ON: 1. <input checked="" type="checkbox"/> Table 501.1 (dwelling unit(s)) 2. <input type="checkbox"/> Table 501.2 (other facilities) SHOW CALCULATIONS -- for other facilities --
SOIL DATA & DESIGN CLASS PROFILE CONDITION DESIGN [3] • [C] • [1] at: Observation Hole # 1 Depth 31" Elevation -80" OF MOST LIMITING SOIL FACTOR	DISPOSAL FIELD SIZING 1. <input type="checkbox"/> Small -- 2.0 sq. ft./gpd 2. <input type="checkbox"/> Medium -- 2.6 sq. ft./gpd 3. <input checked="" type="checkbox"/> Medium-Large -- 3.3 sq. ft./gpd 4. <input type="checkbox"/> Large -- 4.1 sq. ft./gpd 5. <input type="checkbox"/> Extra Large -- 5.0 sq. ft./gpd	EFFLUENT/EJECTOR PUMP 1. <input type="checkbox"/> Not Required 2. <input checked="" type="checkbox"/> May Be Required 3. <input type="checkbox"/> Required >> Specify dose for engineered & experimental systems DOSE: _____ gallons	3. <input type="checkbox"/> Section 503.0 (meter readings) ATTACH WATER-METER DATA

SITE EVALUATOR STATEMENT		
I certify that on <u>20 MAY 03</u> (date) I completed a site evaluation on this property and state that the data reported herein are accurate and that the proposed system is in compliance with the Maine Subsurface Wastewater Disposal Rules (10-144A CMR 241).		
<i>[Signature]</i> Site Evaluator Signature	301 SE #	12 JUNE 03 Date
Site Evaluator Name Printed STEPHEN P. ROLENS	Telephone # 374-6707	E-Mail Address NARROWS PD@AOL.COM

STEPHEN P. ROLENS
 BOX 271
 EAST WINTHROP, ME 04943

SUBSURFACE WASTEWATER DISPOSAL SYSTEM APPLICATION




Department of Human Services
Division of Health Engineering
(207) 287-5672 FAX (207) 287-4172

Town, City, Plantation
AUGUSTA

Street, Road, Subdivision
WEEKS MILLS ROAD
SITE PLAN

Owner's Name
CHRISTIAN CYR

Scale 1" = 20 Ft.
or as shown



SOIL DESCRIPTION AND CLASSIFICATION (Location of Observation Holes Shown Above)

Observation Hole 1 Test Pit Boring
7 " Depth of Organic Horizon Above Mineral Soil

DEPTH BELOW MINERAL SOIL SURFACE (inches)	Texture	Consistency	Color	Mottling
0	FINE SANDY LOAM	FRIABLE	BROWN	
10			RED BROWN	
20				
30		SOMEWHAT FIRM	OLIVE YELLOW	FEN
31		BEDROCK		
40				
50				

Soil Classification Profile 3	Slope Condition AIII	Slope % 7	Limiting Factor 31"	<input type="checkbox"/> Ground Water
			<input checked="" type="checkbox"/> Bedrock	<input type="checkbox"/> Restrictive Layer
			<input type="checkbox"/> Pit Depth	

Observation Hole Test Pit Boring
 " Depth of Organic Horizon Above Mineral Soil

DEPTH BELOW MINERAL SOIL SURFACE (inches)	Texture	Consistency	Color	Mottling
0				
10				
20				
30				
40				
50				

Soil Classification Profile <u> </u>	Slope Condition <u> </u>	Slope % <u> </u>	Limiting Factor <u> </u> "	<input type="checkbox"/> Ground Water
			<input type="checkbox"/> Bedrock	<input type="checkbox"/> Restrictive Layer
			<input type="checkbox"/> Pit Depth	

Steph P. Albini
Site Evaluator Signature

301

SE

12 JUNE 03
Date

SUBSURFACE WASTEWATER DISPOSAL SYSTEM APPLICATION

Department of Human Services
Division of Health Engineering
(207) 287-5672 FAX (207) 287-4172

Town, City, Plantation

AUGUSTA


Street, Road, Subdivision

WEEKS MILLS ROAD

Owner's Name

CHRISTIAN CIR

SCALE 1" = 300 FT.



Steph P. Pappin
Site Evaluator Signature

301
SE

12 JUNE 03
Date

SUBSURFACE WASTEWATER DISPOSAL SYSTEM APPLICATION

Town: *City, Plantation*

Street, Road, Subdivision

Owner or Applicant Name


A. COSTA

WEEKS MILLS ROAD

CHRISTIAN CYR

SUBSURFACE WASTEWATER DISPOSAL PLAN

Scale: 1" = 20 ft.



BACKFILL REQUIREMENTS

Depth of Backfill (upslope) 17-20"
 Depth of Backfill (downslope) 33-44"
 DEPTHS AT CROSS-SECTION (shown below)

CONSTRUCTION ELEVATIONS

Finished Grade Elevation -29"
 Top of Distribution Pipe or Proprietary Device -42"
 Bottom of Disposal Field -53"


ELEVATION REFERENCE POINT

Location & Description: NAIL IN 12"
oak, 26" FROM GROUND
 Reference Elevation is: 0.0" or: _____

DISPOSAL FIELD CROSS-SECTION

Scales:

Vertical: 1" = 5 ft.
 Horizontal: 1" = 5 ft.



Stephen P. Robbins

S.E. # 301

12 JUNE 03 4 OF 5

UGUSTA

WEEKS MILLS ROAD
ATTACHMENT TO HHE-200

CHRISTIAN CYR

notes:

1. Construction to conform with "State of Maine Subsurface Wastewater Disposal Rules".
2. Property lines shown are as provided by owner, agent, or municipality. No guarantee of accuracy is implied. Actual property lines must be confirmed by survey.
3. Remove organic material and scarify (rototill/farrow) area under drainfield and fill extensions.
4. Unless otherwise specified, all fill will be coarse sand to a gravelly coarse sand. See Sec. 804.0 in the Maine State Plumbing Code for further clarification of fill requirements. In 8" lifts, compacted as placed. First lift to be thoroughly mixed with original soil.
5. Septic tanks and pump stations shall be installed watertight to prevent infiltration of ground and surface water.
6. Force mains, pump stations, and or gravity piping subject to freezing shall be adequately insulated.
7. Unless otherwise specified, septic tank to be located by contractor; at minimum; 8' to proposed or existing home and or buildings, 10' to property line & water supply line, 100' to all wells and shoreline. Owners well setback can be reduced to 75' if tested for water-tightness in presence of L.P.I. .
8. A septic tank outlet filter is recommended.
9. If replacement system with new tank, existing tank or cesspool to be filled with soil or removed. If existing tank is to be utilized, tank is to be thoroughly inspected for condition.
10. Unless otherwise specified, this plan does not allow the placement of pumps between the wastewater source and the septic tank.
11. Unless otherwise specified, disposal area to existing or proposed buildings setback is 20'.
12. Water from gutters, driveways, walks, and other surface water to be diverted away from system.
13. Loam, seed and mulch all disturbed areas to prevent erosion and facilitate runoff.
14. Unless otherwise specified, keep traffic heavier than lawn tractor away from all components of system.
15. Keep sanitary napkins, cigarette butts, coffee grounds, paper towels, grease, and nonbiodegradables out of system.
16. Many times it is impossible to locate water supplies. Property owner assumes responsibility of proper setback to any unknown water supplies.
17. Discharge from water treatment equipment and residential floor drains is not considered wastewater and must not be plumbed into septic system. This flow should be diverted into a separate drywell (Disposal area that does not require design or permit).
18. Plumbing fixtures must be strictly maintained to insure excess water does not enter septic system. Excess water can lead to premature clogging and total failure of disposal area.
19. Venting of disposal area is not required, but can facilitate biological action in disposal area.
20. Pumped systems will be equipped with audible high water alarm, wired to separate circuit as pump.
21. If a BK2000 Waste-Water Management system or any other Norweco products are included in this design, the designer has a financial interest in the sale of these products. Owner is encouraged to research comparable products and make final choice. If owner chooses a competitors product, design will be revised to note said change at no charge.
22. Take 3 copies of the plan to your local plumbing inspector for required permit.

S.P.R.